



# Township / Range Lines:

South line of Townships 34N to 36N in Ranges 2W to 5W

East line of Ranges 3W to 6W in Townships 33N to 35N



Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 1/1834


*R<sup>s</sup> 2.3.4.5.6. W.*


*T<sup>s</sup> 33.34.35.36 N.*


*D*


*Revised  
1864*






















T 33 N. 16 3 M. 22 Mer.

G. L

(Var 5' 30' E)

North On East side section 36

40.00 Set 1/4 Section Post-

{ (G. Oak 12 N 38 W 38  
{ Do. 20 N 26 W 63

48.00 Enter Mark

80.00 Set Post cor. Secs. 25 & 36

{ W. Oak 10 S 11 E 11.69  
{ no other

Land hole. & 2? rods South  
of Mark - Timber Oak -  
Mark Poor -

SS

(Var. 5' 30' E)



## T33 NR 3W

C. L

North on East side section 25

19.00 Brook 18 ch. cr. N. E

40.00 At 1/4 section Post-

{ G. Oak 9 N 12 E 17.00  
 { no other

57.00 Brook 20 ch. cr. N. W

66.50 Same cr. N. E

78.00 Same cr. N. W

80.00 At Post cor. Sec. 24 &amp; 25

Water to deep rain  
 mound

Sand flat & poor.  
 Some growth of Oak in  
 places.

T 33 N. R 3 W

Chs L.

North On East Side Section 24

3.00 Brook 20 lbs. as N. #. 2  
 15.50 . . . . . Some cr. N. N  
 27.00 Enter low heavy Timber land  
 32.52 M. Ash 18  
 40.00 Set 1/4 Section Post  
     { Elm 12 S 50 N 38  
     { Do 30 N 44 W 41

58.48 Sycamore 20  
 65.00 Enter Oak Land  
 80.00 S.A. Post cor. Sec. 13 & 24  
     { Y. Oak 20 S 5 1/2 W 4.30  
     { Do . . 18 N 5 1/2 W 11.48

Sand flat - & North of  
 Marsh 2<sup>d</sup> vote -  
 Timber Oak, Ash, Elm  
 Sycamore -  
 North Ash

T33 N B 3 W

Chs. Ls

North On East Side section 13

21.00 Lynamore 10  
 23.50 Yellow River 70 W. or. N. W.  
 33.00 enter Chas.  
 40.00 Set 1/4 Section Port -  
 Lynamore 15 S 3 1/2 N 9.08  
 { no other

80.00 Set Port cor. Sec. 12 & 13  
and raised mound

Sand flat. & 2? rats  
 Timber Oak Ash Elm &

T33 N. R3 W.

Chrs.

North on East Side Section 12

40.00 At 1/4 Section Port

{	Burr Oak 16	157	&	5.78
{	Do. .	12	143	& 5.40

80.00 At port corner Sec. 14 12

{ Y. Oak 9 18 N 2.32

{ W. Oak 12 N 1/2 W 9.67

Sand flat 42.20 to  
 some scattering oak -

55



T 33 N. R 3 W.

Ch. L.

North On East Side Section 1

.9.00 Leave Marsh -  
 40.00 det 1/4 Section Post  
     { G. Oak 10 N 87 W 26  
     { Leo. 10 N 57 W 34

50.00 Enter Marsh  
 80.00 Lim. Town Corn -

Land rolling + 3<sup>d</sup>. note  
 Timber Oak -

(var. 5. 31 E)

T33 N B 4 M.

7

Ch. L.

(Var. 6.75 E.)

North On East Side Section 36

Begun in Mt. Prairie

40.00 Set  $\frac{1}{4}$  Section Post

{ G. Oak 12 N 54 W 1.25

{ Do. 10 N 43  $\frac{1}{2}$  W 2.37

50.00 To border of Marshy Lake

Plankanku River running through

it. { G. Oak 20 S 61 W 4.23

{ Do. 20 S 29 W 4.86

73.00 Set post on North Side Lake

{ G. Oak 9 N 49  $\frac{1}{2}$  W 16.81

{ No other

80.00 Set post cor. S. 25 + 36.

{ G. Oak 9 N 72 W 12.71

{ No other

Sand flat & poor.

few scattering Oak -

T33 NB4 W.

Chs Ls

North On East Side Section 25

40.00 Set 1/4 Section Post  
~~In hole to raise mound~~

80.00 Set post corner Sec. 24 & 25  
 by Oak 15 N 31 W 5.43  
 Do. 18 N 23 W 5.09

Land all marsh & poor  
 no Timber.

SS

Ch. Li  
North On East Side Section 24

15.00 Same mark & grove of Oak

40.00 At 1/4 Section Post

{ Y. Oak 12 S 19 N 54  
{ Do. . 6 N 33 N 72

62.00 Enter West Prairie

47.00 Leave grove & Enter West Prairie

80.00 At Post corner S. 13 & 24

{ Y. Oak 18 S 39 N 1.61  
{ Do. . 18 S 85 N 1.56

Sand bar & 22. 70 ft  
Timber Oak —



## T33N R64W.

Ch. ds

North On East Side Section 13

5.00 Leave West Prairie

22.00 Leave

40.00 At 1/4 Section Post

Mound to be made

80.00 At Port cor. Sect. 12 &amp; 13

Mound to be made —

Sand haul & 2<sup>d</sup> note

SS

T33 N 24 W

11

Ch. S,

North on East Side Section 12

40.00 Set 1/4 Section Post.

Mound to be made

80.00 Set Post cor. Sub. 1 & 12

Mound to be made.

Land & Labor

55

T33 NE 4 W.

Chr. L.

North On East Side Section 1

40.00 Lt. 1/4 Section Post.  
Mound to be made

1.00 Stream 15 Chances N. W.

80.00 Line - Town corner

Sand hill & 2? rods  
South of Stream -  
remainder marsh and  
poor -

Jan. 10. 1834

(Far. E. 15')

S33 N8E5W.

Chsds

(T. 6. 25 E.)

North On East Side Section 36

Began in dry Prairie

10.00 Leave dry &amp; Enter Wet Prairie

40.00 Set 1/4 Section Post.

To Wet to Laine Mound

80.00 Set post corner Sec. 25 &amp; 36

To Wet to Laine Mound

Land level & poor  
no Timber.

JJ

T 33 N R 5 W.

Ch. L.

North On East Side Section 35

40.00 Set  $\frac{1}{4}$  section Post  
To Mt to raise mound

80.00 Set post corner Sec. 24 & 25  
 { G. Oak 14 N 22 E 6.73  
 { Do. 18 N 16 E 6.71

Land to Sam -

11

## S33N. R5W

Ch. Ls

North On East Side Section 24

6.00 Leave West Prairie & Timber  
 40.00 Set 1/4 Section Post  
     { Ry. Oak 20 S 70 E 1.21  
     { Do. . . 7 S 45 E 1.35

80.00 Set post corner Sec. 13 & 24  
     Ry. Oak 15 N 10 E 4.23  
     Do. 18 N 3 1/2 W 4.16

Sand bar & 3<sup>rd</sup> note  
 Timber Oak -

T 33 NR 5 W.

Ch. Ls

North On East Side Section 13

32.00 Enter Wet Prairie

40.00 Set 1/4 Section Post

{ Ry. Oak 15 \$21<sup>h</sup> & 4.76  
 { Do. 10 \$35 & 4.53

80.00 Set Post corner Sect. 12 &amp; 13

{ Ry. Oak 18 \$33 & 7.00  
 { Do. 16 \$71 & 7.97

Sand level & P. note  
 Some scattering Oak -

T 33 N. R 5 W.

17

Chs. Ls  
North On East side Section 12

40.00 Set 1/4 Section Post  
Mound to be made

80.00 Set post corner Sec 14 12  
Mound to be made

Land flat & c. 20 ft.  
No Timber -

SS



T33 NR 5 W.

Ac. ls.  
North On East side Section 1

40.00 Set 1/4 Section Post  
Mound to be made -

46.00 Stream 15 Ch. crs. N. W.

80.00 Set Tm. Town corner

Land & Labor

Jan. 9<sup>th</sup> 1834

(Pay. 6.25 E)

50

T33 NR 6 W.

Ch. 19

V. 67.55'E.

North On East Side Section 36

- 4.00 Enter Ash & Willow Swamp-  
 23.53 W. Ash 10  
 40.00 To a W. Ash 12 corner to 1/4 Section  
 43.00 Leave Swamp & Enter Marsh  
 80.00 At port corner Section 25 & 36  
     { Aspin 8 N 85 E 3.53  
     { Do. 8 S 78 E 3.57

Soil & poor - South of  
 Marsh Timber Ash Cen-  
 tury -

T33 NB6 M.

Chris

North On East Side Section 25

- 10.00 Stream 15 Chs. cr. West  
 24.00 Leave Mark + Timber  
 40.00 Set  $\frac{1}{4}$  Section Post  
     { Y. Oak 10 S 51 N 12  
     { Do 24 N 7 N 22  
 46.00 Enter West Prairie.  
 73.00 Leave same.  
 80.00 Set Post corner Sec. 25 & 36 25  
     { Y. Oak 10 S 73 N 1.07  
     { Do. 6 S 83 N 1.11

Land line & E. note  
 Mark excepted  
 Timber Oak

## T33 NB 6 W.

Chds

North On East Side Section 24

23.00 Enter Mt Provis

40.00 Sit 1/4 Section Post

{ G. Oak 18 S 25 N 6.56  
 { no other

80.00 Sit Post corner Sec. 13 &amp; 24

{ N. Oak 20 N 15 W 4.45

{ Do.. 18 N 22 W 4.70

Land &amp; same.

T33 N B6 W.

Ch. L.

North On East Side Section 13

40.00 Set 1/4 Section Post

{ G. Oak 15 S 74 N 1.31

{ Do .. 15 N 48 W 1.55

58.00 Leave Wet Prairie

80.00 Set Post corner Sec. 12 &amp; 13

{ M. Oak 30 S 48 N 47

{ Do.. 20 N 9 W 45

Land Same -

T33 N R66 W.

Ch. L.

North On East Side Section 12

15.61 W. Oak 20

22.04 G. Oak 18

40.00 Set - 1/4 Section Post

{ Burr Oak 12 S34 W 37

{ W. Oak 20 N21 W 30

49.89 G. Oak 18

50.00 Road N. E &amp; S. W.

70.00 Enter West Prarie

80.00 Set Post corner Sec. 14/12

{ Hickory 15 S3 1/2 W 8.39

{ Willow 8 N50 W 1.94

Sand here - Soil good -  
 Timber Oak -

T33 NR6W

Ch. 6

North On East Side Section 1

40.00 At 1/4 Section Post -

{ M. Oak 10 S 74 E 15.15  
 { Do .. 9 S 77 E 16.15

80.00 Lim. Four corner -

Land all wet Prairie  
 Soil 3<sup>d</sup> rate -  
 no timber -

Jan. 18. 1834

(Var 6.55'E)

## T 34 N R 2 W.

C. 2

West On South side section 36  
 Began in Wet Prairie

8.00 Leave Wet Prairie

26.52 N. Oak 14

40.00 Set  $\frac{1}{4}$  Section Post

{ G. Oak 10 S 45 W 1.79  
 { Do.. 18 N 18 W 1.70

64.00 Enter Wet Prairie

80.00 Set Post corner Sect. 35 &amp; 36.

{ G. Oak 18 N 46 E 5.42  
 { N. Oak 9 East 15.76

Sand hole + 2? note -  
 Tim. scattering Oak -

mm  
 Var: 35.  
 5.  
 mm



T 34 N R 2 W.

C. S.

West On South Side Section 35

40. 00 Set  $\frac{1}{4}$  Section Post and  
Mound to be made.

80. 00 Set Post corner Sect. 34 & 35  
 { N. Oak 18 S 44  $\frac{1}{2}$  W 7. 14  
 { No Other

Land mostly + poor -  
 Timber as before -

## S 34 N. R 2 W.

C. L

West On South Side Section 34

40.00 Set 1/4 Section Post -  
 { G. Oak 12 S 30 N 1.42  
 { Do.. 10 S 57 N 1.63

41.00 Point Timber

80.00 At Post corner Sec. 33 & 34  
 { W. Oak 20 N 32 W 13  
 { Do.. 20 N 4 E 35

Land as much as before.

## T 34 N. R 2 W.

C. L.

Met On South Side Section 33

15.00 Leave Timber &amp; Enter Wet Prairie

40.00 Set 1/4 Section Post -

{ W. Oak 18 S 31 1/2 W 5.82  
 { no Other

80.00 Set Post corner Sect. 32 & 33  
 Mound to be made -

Land mostly Wet Prairie  
 Soil, 22 in. -

Timber East Prairie Oak

## T34 N. R2W

C. L

West On South Side section 32

40.00 Set  $\frac{1}{4}$  Section Post -  
Mounds to be made -

80.00 Set Post corner Sec. 3 N 32  
Mound to be made -

Land flat & 2? rods  
all wet Prairie -

55

T34 N B2 W.

C. L

West On South Side Section 31

40.00

Set  $\frac{1}{4}$  Section Post  
Mound to be made

82.41

West Bdy. 28 lks. North of  
Tenn. port - Set post for  
Town corner  
Mound to be made.

Land to as before

Jan. 13<sup>th</sup> 1834

(Var. S. 35' E)

T 34 N. R. 3 W.

C. L

Var. S. 35. E.

West On South Side Section 36

33.00

Point Timber

37.00  
40.00Set <sup>iron</sup> 1/4 Section Post - Point Timber

{ W. Oak 12 N 22 E 1.54  
 { Do. . . 9 N 76 E 1.50

80.00

Set Post corner Sect 35 &amp; 36

{ W. Oak 14 N 2 E 6.50  
 { No Other

Land flat & marshy  
 Tim. Oak - Soil poor

55

## T34 N. R. 3 W.

C. L

West On South Side Section 35

35.00 Enter Bankaku Swamp.

40.00 Set 1/4 Section Post

{ Maple 10 N 26 1/2 E 24  
 { Elm 20 N 32 W 39

66. 36 Set Post on Left bank Tean-  
kaku River crs. S. W

{ B. Ash 9 N 53 E 1.98  
 { Do. . . 7 N 67 E 1.96

68. 66 Set Post on right bank River

{ Y. Oak 18 S 85 W 3.84  
 { Do. . . 18 N 81 W 3.70

80.00 Set Post corner Sections 34 &amp; 35

{ Y. Oak 10 N 11 E 83  
 { Do. . . 9 N 11 W 1.22

Land on East Side River low  
 & marshy - Timber Ash Elm  
 Oak - On West Side 2? note  
 Oak Sand -

## T 34 N. R 3 W

C. L

Went on South side Section 34

21.91 M. Oak 12

40.00 Set 1/4 Section Post.

{ M. Oak 4 N 54 E 17  
{ Do.. 12 N 40 W 49

52.00 Enter Wet Prairie

80.00 Set Post corner Sect. 33 &amp; 34

Mound to be made -

Land level + 2' note -

Timber G. &amp; M. Oak -

SS



T 34 N. R 3 W.

C. L.

West On South Side Section 33

40.00 Set 1/4 Section Post -  
Mounds to be made

78.00 Enter grow Timber (Oak)

80.00 Set Post corner Sec 32 & 33

{ B. Oak 12 N 36 W 10

{ N. Oak 6 S 59 E 11

Land principally Wet Prairie  
a few Oak on West end -  
soil 2<sup>d</sup> rate -

55

T 34 N. R 3 W.

C. L

West On South Side Section 32

8.00 Enter Wet Prairie

40.00 Set  $\frac{1}{4}$  Section Post

Mound to be made.

75.00 Enter Oak grove

80.00 At Post corner Sect. 3/4 32

{ N. Oak 12 N 1 E 76

{ Do. . 12 N 40 W 86

Land as much as before.

51

T 34 NB 3 M.

C. L

West On South Side Section 31

5.00 Enter Wet Prairie

40.00 Set  $\frac{1}{4}$  Section Post  
 { Cy. Oak 9 N 38 W 7.19  
 { No Other

82.23 West Bdy - 157 North of Town  
 Post - Set Post for Town  
 corner. Mound to be made -

Land &amp; Town

Jan. 14<sup>th</sup> 1834.

(Var. 5. 35 E.)

T 34 N R 4 W.

C. L.

V. 5. 35'E

West On South Side Section 36  
 Began in Wet Prairie -

40.00 Set 1/4 Section Post.

Water to deep for mound

80.00 Set Post corner sections 35 &amp; 36

Water to deep for mound

Land flat &amp; wet Prairie

Soil Poor -

No Timber -

J

T34 N R4 W

C. L.

Mst On South Side Section 35

40.00 Set 1/4 Section Post.

Mound to be made.

80.00 Set Post corner Sec 34 &amp; 35

{ Willow 4 S52 W 51

{ Do . . 4 N84 1/2 E 22

Land &amp; same.

55

## T34 N. R4 W.

C. L

West On South Side Section 34

- 15.00 Enter Oak Sands -  
 31.63 W. Oak 12 -  
 40.00 Set 1/4 section Post -  
     { G. Oak 12 N16 W81.  
     { Do... 10 N81 W24.  
 48.26 G. Oak 18 -  
 66.00 Enter Wet Prairie -  
 80.00 Set Post corner Sec 33 & 34  
     { G. Oak 9 N65 W113  
     { Do... 7 N61/2 E 2.59

Sand level &amp; 22. rate -

Timber W &amp; G. Oak -

J

## T34 N. R4 M.

C. L

West Oak South Side Section 33

- 2.00 Enter Oak Land  
 25.00 Enter Wet Prairie  
 40.00 Set 1/4 Section Post  
     { G. Oak 20 N 88 E 16.27  
     { Do... 7 S 89 1/2 E 16.25  
  
 78.00 Leave Wet Prairie  
 80.00 Set Post corner Sec 32 & 33  
     { G. Oak 20 N 53 E 64  
     { Do... 18 N 27 W 129  
  
 Sand level & 2. rate -  
 Timber Oak -

T34 N R 4 M.

C. L

West On South Side Section 32

25.39

G. Oak 12

40.00

Set 1/4 Section Post -

{ G. Oak 16 N 49 W 1.14

{ Do.. 12 N 2 W 1.88

50.00

Enter West Prairie

80.00

Set Post corner Sec. 31 &amp; 32

{ G. Oak 22 N 53 E 6.96

{ W. Oak 20 N 47 E 7.08

Land &amp; Sown

J S



## T 34. N R 4 W

C. L

Met On South Side Section 31

14.00 Leave Met Prairie

25.02 G. Oak 18

40.00 Set  $\frac{1}{4}$  Section Post

{ G. Oak 12 N 33 E 2.73  
 { Do. . 18 N 38  $\frac{1}{2}$  E 3.58

80.00 Met Bdy 3.03 North of Turn  
Post - Set Post

{ G. Oak 14 N 31 W 5.47  
 { W. Oak 14 N 66 E 4.68

Sand level & P. rate -  
 Timber Oak -

Jan. 16<sup>th</sup> 1834 -

(Var. 5.35 E.)

## T 34 NR 5 N.

C. L

V. 5. 38

Nest On South Side section 36

- 8.00 Enter Wet Poonie  
 26.00 Brook 20 lbs cr. S. E  
 28.00 Enter dry Poonie.  
 40.00 Set 1/4 Section Post  
     { G. Oak 20 S 75 1/4 E 3.31  
     { No other  
 80.00 Set Post corner Sect. 35 & 36  
     Mound to be made

Sand rolling + Poonie  
 1.5 rods - East of Poonie  
 2? rods. Tem. Oak

## T 34 N. R 5 W

C. L

West On South Side Section 35

40.00 Set  $\frac{1}{4}$  Section Post  
Mound to be made

80.00 Set Post corner Sect. 34 & 35  
Mound to be made.

Sand rolling @ 1<sup>st</sup> rate Poorie

55

## T34 NR5W

C. L

West On South Side Section 34

30.00 Burr Oak grove

40.00 Set 1/4 Section Post

{ Burr Oak 9 N35W 71

{ Do. 12 N62W 56

60.00 Enter West Prairie

80.00 Set Post corner Sec. 33 &amp; 34

Mound to be made

Land East of West

Prairie as before

West prairie 2<sup>d</sup> rate.

Timber Burr Oak —

J J

T34 NB 5 W.

C. L.

Met on South Side Section 33

5.50 To Crooked creek (so called)  
20 Chs. crs. South

22.00 Enter dry Prairie.

40.00 Set  $\frac{1}{4}$  section Post  
Mound to be made80.00 Set Post corner Sec. 32 & 33  
Mound to be made

Land &amp; much same.

T 34 N. R 5 W.

47

C. L.  
Post on South side section 32

48.00 Set  $\frac{1}{4}$  section Post -  
Mound to be made

80.00 Set Post corner Sec. 31 + 32  
{ Burr Oak 10 N 56 $\frac{1}{2}$  W 6.58  
{ Do... 8 N 44 $\frac{1}{2}$  W 6.10

Land same -

SS

T 34 NB 5 N.

C. L

West On South Side Section 31

. 8.00 Leave Prairie

40.00 Set  $\frac{1}{4}$  Section Post

{ G. Oak 30 S 73 N 1.91

{ Do. 9 N 61 E 3.43

42.50 Road North &amp; South

56.00 Enter West Prairie

79.00 West Bdy 55 Chs. North of  
Tim. post. ... Set post.{ N. Oak 24 N 68  $\frac{1}{2}$  W 3.64

{ Do .. 20 S 79 N 3.56

Land haul & 2? rods  
Timber OakJan. 17<sup>th</sup> 1834.(For. 5<sup>th</sup> 38 E.)

## T34 NR3W

C. L

North On East Side Section 36  
 Began in Mt Prairie

39.00 Leave Mt Prairie and  
 Enter Hankake Swamp

40.00 At 1/4 Section Post -  
 { B. Oak 10 S 20 N 30  
 { Do 12 N 26 W 1.16

80.00 At Post corner Sect. 25 & 36  
 { B. Ark 8 S 9 1/2 W 2.50  
 { no other

Land flat + poor Timber  
 Oak Ark Elm maple

(Var. 5, 35'E)



T34 NE3N

C. S

North On East Side Section 25

40.00 Set 1/4 Section Post  
 { Y. Oak 8 S3E 9.22  
 { no other

50.00 Enter Oak Land

80.00 Set Post corner Sec 24 & 25  
 { Y. Oak 16 S5 N 16  
 { W. Oak 20 N 1/2 N 47

Sand hark + generally poor  
 Timber Oak -

SS

T 34 N R 3 W.

C. L

North On East Side Section 24

35.00 Enter Marsh

40.00 Set 1/4 Section Post.

{ Willow - 10 S 7 1/2 N 5.50  
 { no other

67.00 Leave Marsh.

80.00 Set Post corner Sect 13 &amp; 24

{ W. Oak 20 S 27 N 75  
 { Do. . 10 N 62 1/2 W 1.13

Land level & marshy -  
 Soil poor Timber Oak

55

## T 34 N R 3 W.

C. L.

North On East Side Section 13

20.25 W. Oak 24

40.00 Set 1/4 Section Post

{ B. Oak 6 N 62 W 35  
 { Do. . 6 S 10 W 20

43.00 Enter Swamp -

66.70 Set Post on Left bank of Tean-  
kaku River on S. W

{ Maple 10 S 75 E 10  
 { Do. . 4 S 74 W 21

69.50 Set Post on right bank River

{ W. Ash 9 S 77 E 19  
 { B. Ash 6 N 32 W 1.45

80.00 Set Post corner Sec 12 &amp; 13

{ B. Ash 9 S 21 W 55  
 { no other

Sand hill &amp; Swampy.

Timber maple Elm. B. Ash

Alder &amp; Willow -

T34 N. B. 3 M.

C. L

North On East Side Section 12

40.00 Set  $\frac{1}{4}$  Section Post  
 Water to deep raise  
 mound.

80.00 Set Post corner Sec 1 & 12  
 { Elm 6 S 82 N. 5  
 { Do 10 N 76 W 15

Landon Sumner

T 34 N R 3 W

C. L

North Or East Side Section 1

40.00 Set  $\frac{1}{4}$  Section Post -  
 { Aspin 10 S 13 N 1.12  
 { Do . . 12 N 78 E 27

80.00 Set Lim. Town Corn

Sand &amp; much same

Jan. 12<sup>th</sup> 1834

(Var. 5.35' E)

T 34 N R 4 W.

C. L. (Var. 5° 35' E.)

North On East Side Section 36

Began in Wet Prairie -

40.00 Set 1/4 Section Post -

Water to deep raise mound

80.00 Set Post corner Sec. 25 &amp; 36.

Mound to be made -

Land level &amp; poor

all Wet Prairie -

S

T 34 NB 4 W.

C. L.

North on East Side Section 25

40.00 Set 1/4 Section Post.

Water to chip make mound

80.00 Set Post corner Sec. 24 &amp; 25

{ W. Oak 10 N 44 W 61

{ G. Oak 9 N 77 W 75

Land &amp; much same.

Jan. 15<sup>th</sup> 1834Jan 15<sup>th</sup> 1836Jan. 15<sup>th</sup> 1834

T 34 N. R 64 W.

C. L.

North On East Side Section 24

, 50 Leave West Prairie

40.00 Set 4 Section Post

{ W. Oak N 49 W 18

{ Y. Oak 18 S 69 W 14

80.00 Set Post corner Sec. 13 &amp; 24

{ Y. Oak 15 S 63 W 20

{ W. Oak 12 N 79 W 27

Sand hauled 42? rate -

Timber Oak -

55



## T34 N R4 W

C. L.  
North On East Side Section 13

25.66 Y. Oak 10

40.00 Set 1/4 Section Post -

{ Y. Oak 9 N 40 W 1.33

{ Do. - 9 N 2 1/2 W 1.05

45.00 Enter bet Props.

80.00 Set Post corner Sect 12 & 13

{ W. Oak 20 North 6.66

{ Y. Oak 9 N 6 W 6.26

Land & same -

## T34 N. R4 W

C. L

North On East Side Section 12

6.00 Leave Mt Prosser

25.50 G. Oak 10

40.00 Set 1/4 Section Post

{ G. Oak 12 S4 1/2 W 27  
 { Do.. 12 N8 W 25

81.00 Set Post corner Sec. 14 12

{ G. Oak 9 S46 W 54

{ Do.. 9 N17 W 120

Land &amp; much same.

T34 N R4 W.


C. L.  
North On East Side Section 1

40.00 Set  $\frac{1}{4}$  Section Post  
 { Ry. Oak 9 S10 N 1.40  
 { Do. . 12 S47 W 1.40

45.00 Enter Mt Prairie

80.00 Set Lim. Town Corner

Land &amp; Sam


 (Bar. 5.35 E.)

## T34 N R 6 W.

C. L

V. 57 558

North on East side Section 36

40.00 Set 1/4 Section Post-

{ G. Oak 16 N 10 E 5.37  
 { Do... 18 N 4 3/4 W 5.91

45.00 Point Timber

52.00 Enter Wet Prairie

75.00 Brook 10 lks. on S. W.

80.00 Set Post corner Sec. 25 &amp; 36

{ Aspin 10 N 11 W 2.10  
 { W. Oak 20 N 76 E 4.60

Land mostly Wet Prairie  
 Timber in places a few  
 Scattering Oak & Aspin

T34 N R 6 W.

C. L.

North On East Side Section 25

40.00 Set  $\frac{1}{4}$  Section Post.

Mounds to be made

80.00 Set Post corner Sec 24 &amp; 25

{ N. Oak 24 N 60 E 1.65

{ N. Oak 9 S 65 E 2.07

Land flat Poor wet Prairie  
Timber as before

## T 34 N R 6 W

C. L

North On East Side Section 24

6.00	Enter rolling Land
21.63	P. Oak 18
40.00	Set 1/4 Section Post
	{ Hickory 9 S 79 N 90
	{ M. Oak 10 N 66 W 1.34
57.90	Burr Oak 10
80.00	Set Post corner Sec 21 34 24
	{ Burr Oak 12 N 35 W 2.97
	{ Do . . . 12 S 57 1/2 W 1.74

Land rolling & 1/2 rate  
Timber M. P. & Burr Oak

T34 N R 6 W.

C. L

North on East Side Section 13

36.80 Burr Oak 10

40.00 Set 1/4 Section Post

{ Burr Oak 12 S 50 N 43

{ Do . . . 14 N 75 W 97

80.00 Set Post corner Secs 12 &amp; 13

{ Burr Oak 18 S 60 N 223

{ Do . . . 10 S 85 N 273

Land &amp; same -

J J

## T34 N. B. 6 N.

C. L

North - On East Side Section 12

14.02 Hickory 18

34.30 Trail N. E &amp; S. N.

40.00 Set 1/4 Section Post

{ Burr-Oak 14 S 49 N 1.04

{ Do... 16 N 70 W 1.16

49.70 W. Oak 15

50.00 Enter Mt Provis

59.00 Brook 6 lks. on. West -

65.50 Leave Mt Provis -

80.00 Set Post corner Sec. 1 &amp; 12

{ Hickory 6 S 12 N 1.52

{ Do.. 6 N 4 W 3.12

Land rolling & 1st 200  
 Timber Oak & Hickory



T34 NB 6 N.

C. L

North On East Side Section 1

32.93 Burr Oak 9

40.00 Set 1/4 Section Post

{ Burr Oak 6 N 81 W 17

{ Do ... 7 S 11 W 40

61.06 Burr Oak 10

80.00 Set 1/4 m. Town Corner

Land &amp; Sarn

Jan. 18<sup>th</sup> 1834(Var. 55<sup>°</sup> E.)

T 35 N R 2 W.

67

C. L

(Var. 5735 E)

Went on South Side Section 36

Began in Wet Prairie

35.00 Grove Oak Timber

40.00 Set 1/4 Section Post

{ G. Oak 10 N 32 1/2 E 60

{ W. Oak 28 N 84 W 65

62.00 Enter Wet Prairie

80.00 Set Post corner Sec 35 & 36

{ G. Oak 10 N 73 1/2 E.

{ no other.

Land flat & mostly  
Wet Prairie - soil poor  
Timber on Grove Oak

S

## T35 NB 2 W.

C. L

West On South Side Section 35

40.00 Set 1/4 Section Post.  
 Water to deep for mountain

80.00 Set Post cor. Secs. 34 & 35  
 { B. Oak 7 N 58 E 1.87  
 { Do. 4 N 44 E 1.77

Sand flat & poor wet  
 Prairie -

S

## T35 N. B. &amp; W.

C. L

West On South Side Section 34

40.00 Set 1/4 Section Post

{ W. Oak 28 West 6.92

{ Do .. 20 N 87 1/2 W

46.00 Grove Limber

60.00 Enter West Poron

80.00 Set Post cor. Sec. 33 &amp; 34

Water to deep make  
Mound.

Sand haul &amp; pour

Lumber on grove oak

J

## T35 N B &amp; N.

C. L

Met On South Side Section 33

9.84 Set Post on Left bank of  
 Teankaku River - no beorings  
 on mound. Water deep

14.00 Set Post on right bank River  
 no beorings on mound  
 water deep -

40.00 Set 1/4 Section Post -  
 Water to deep notes  
 mound -

80.00 Set Post corner Sec. 32 + 33  
 Water to deep for mound

Sand flat & poor  
 No Timber -

SS

T 35 N. B. 2 N

C. L

West On South Side Section 32

40.00 Set  $\frac{1}{4}$  Section Post  
 Water to deep make mound

70.00 Enter Oak Land

80.00 Set Post cor. Secs 31 & 32

{ G. Oak 28 N 84 E 48  
 { N. Oak 28 N 27 W 76

1<sup>st</sup> 70 chains West from  
 Remainder Oak Land  
 (low) Soil 2<sup>nd</sup> roots -  
 Timber Oak

SS

T35 NB 2 N

C. L

Met On South side Section 31

28.99 M. Oak 10

29.00 Enter Met Prairie

40.00 Set  $\frac{1}{4}$  Section Post

{ M. Oak 10 East 11.00  
 { no other

79.46 Met Bdy 147 South of  
 Lim. Post. Set Post

{ Aspin 6 S 82 N 4.13

{ G. Oak 18 S 49 N 10.25

Sand East of Prairie 2<sup>d</sup>.

note. Limber Oak

Prairie poon -

Jan. 23<sup>d</sup> 1834

(Bar. 5.35 E.)

T 35 N. R 3 M. 22 Mer-

C. L.

(Var. 5.45 E.)

West

On South Side Section 36

40.00

Set 1/4 Section Post-

{ G. Oak 18 S 86 1/2 E 5.45  
 { M. Oak 6 N 89 1/2 E 6.11

46.50

Brook 20 Chs. cr. South

80.00

Set Post corner S. 35 &amp; 36

Water to deep make moraine

Land Moraine & P. note -  
 Timber Oak -



## T35 NB3 N.

C. L.

West On South Side Section 35

20.00 Saw Mork

40.00 Set 1/4 Section Post

{ G. Oak 12 N21 W 39

{ Do. 18 N21 E 37

55.90 G. Oak 18.

80.00 Set Post corner Sec 34 &amp; 35

{ M. Oak 20 N39 E 53

{ Do. 18 N21 W 38

Sands rolling &amp; E. rate.

Timber G. &amp; M. Oak

SS

T 35 N R 3 M 22. Mer

C. L.

West On South Side Section 34

25.65

N. Oak 12

40.00

Set  $\frac{1}{4}$  Section Post.

{ G. Oak 18 N 58 E 1.77

{ Do. 18 West 1.77

80.00

Set Post corner Sec 33 &amp; 34

{ G. Oak 18 N 63 E 5.3

{ N. Oak 10 N 79 W 38

Lands &amp;c much same.

SS

## T35 N R3 W.

C. Ls

Met On South Side Section 33

18.96

Hickory 10

40.00

Set  $\frac{1}{4}$  Section Post-

{ B. Oak 12 N49 E 10

{ Do. . 9 N9  $\frac{1}{2}$  W 13

60.60

W. Oak 10

61.00

Enter Met Prairie

80.00

At Post cor. Sec 32 &amp; 33

{ W. Oak 10 S47 W 1.87

{ Do. . 12 S61 W 1.97

Land &amp; same.

T. 35 N. R. 3 W.

C. L.

Met On South Side Section 32

- 15.00 Leave Mt Prior  
 18.21 W. Oak 10  
 40.00 Set 1/4 Section Post.  
     { G. Oak 14 N 48 E 1.54  
     { W. Oak 10 N 74 W. 57  
  
 63.50 Brook 6 cr. South  
 78.50 Enter Mt Prior  
 80.00 Set Post cor. Sec 31 & 32  
     { G. Oak 2 N 73 E 2.23  
     { W. Oak 18 S 85 E 1.65

Lander same

T35 NB 3 W.

C. L

West On South Side Section 31

29.00 Leave Mt Prairie

40.00 At 1/4 Section Port -

{ G. Oak 10 N 16 1/2 W 22

{ Do... 10 N 87 E 40

63.00 Enter Mt Prairie

81.75 West Bdy 28 Cks N. of port

At Port for Town Corner

Mound to be made.

Land &amp; much as before

Jan. 26<sup>th</sup> 1834

(Car \$5.45 &amp;c.)

T 35 NR 3 W

C. L

(Var. 7<sup>7</sup>.46'E.)

North on East Side Section 36

Begun in wet prairie

40.00 At 1/4 Section Port.

Water to deep make mound

80.00 At Port corner Sec. 25 &amp; 36

Water to deep make mound

Land flat &amp; poor

(Var. 7<sup>7</sup>.46'E.)

T35 NB 3 W

C. L

North on East side section 25

40.00 Set 1/4 Section Post  
water to dup make mound

80.00 Set Post corner Secs. 24 & 25  
 { N. Oak 10 S 84 W 4.84  
 { Do... 9 S 75 W 5.06

Land flat & poor wet Prairie

T35 NR 3M

C. L  
North on East Side Section 24

23.00 Leave  
Enter Mt Prorie

40.00 Set 1/4 Section Post

{ W. Oak 22 S12 E 1.48

{ G. Oak 10 S47 N 2.08

80.00 Set Post corner Sect 13 & 24

{ W. Oak 18 N55 W 45

{ Do. 18 S83 W 73

Land rolling - Soil 1st  
note North Mt Prorie



## T35 NB3 M

C. L

North On East Side Section 13

23.87 M. Oak 15

40.00 Set 1/4 Section Post

{ M. Oak 18 S 74 E 44

{ Do. . 18 S 39 1/2 W 1.66

80.00 Set Post corner Sec. 12 &amp; 13

{ B. Oak 12 N 37 W <sup>2.58</sup> ~~2.58~~

{ Aspin 3 N 61 W 1.08

Sand rolling -

Soil 1st date

Timber Oak -

S

T35 NB3M.

C. L.

North on East side Section 12

40.00 Set 1/4 Section Post.

{ Burr Oak 6 S31 E10  
 { G. Oak 20 S80 W3.69

80.00 Set post corner Sect. 12 &amp; 12

{ Burr Oak 12 N27 W1.87  
 { Do. . 14 S37 W2.60

Land &amp; Some -

11  
 11

## T35 N R3 W

C. L.  
North On East side Section 1

19.87 Burn Oak 10

40.00 ~~Set #4 Section Post~~  
Burn Oak 6 in. diam<sup>r</sup> Post.

48.25 Burn Oak 10

65.06 South East corner T36 N. of R  
3 W. & corner of Michigan  
Road Land.

Land sold at 1<sup>st</sup> rate.

Jan. 24<sup>th</sup> 1834

(Bar. 7.46 E)

U

T 36 N. 16 2 W.

C. L

Var 58'

Nest On South Side Section 36

40.00 Set 1/4 Section Post -

{ G. Oak 10 S 11 W 9.39

{ Do... 10 S 11 W 8.40

75.00 Enter Willow thicket

80.00 Set Post corner Secs 35 &amp; 36

{ Willow 3 N 44 W 11

{ Aspen 3 N 27 1/2 E 19

Land level 42? rods  
Timber Oak -

(Var 70.58' E.)

## T36 N. R2 W.

C-d

Mert on South Side Section 35

.. 5.00 Enter Mert Prairie

12.00 Enter Oak Land

40.00 Set 1/4 Section Post

{ N. Oak 18 N68 E 40

{ Do .. N48 W 44

80.00 Set Post corner Sec. 34 &amp; 35

{ Hickory 10 N20 E, 8

{ Do .. 10 N63 W 30

Land rolling + 1/4 sec

Hickory Burn Oak +

## T36 A. R. 2 N.

C. L

West On South Side Section 34

16.00 Enter Dry Plover

40.00 Set  $\frac{1}{4}$  Section Post

Mound to be made

80.00 Set Post corner Sec. 33 &amp; 34

Mound to be made

Land rolling & 1<sup>st</sup> note  
 some Oak & Hickory  
 on 1<sup>st</sup> yr -

55

## T36 NR2W

C.L

Met on South Side Section 33

40.00 Set  $\frac{1}{4}$  Section Post  
 Mound to be made

70.92 Enter Minchell's improve-  
 ment.

80.00 Set Post corner Sec 32 & 33  
 in field.

{ Barr Oak 8 N 83 $\frac{1}{2}$  W <sup>9.70</sup>  
~~29~~  
 { no other

Land sold @ 1 $\frac{1}{2}$ ¢ rate  
 dry prior -

T36 AR22

C. L.

Nest On South Side Section 32

10.00 Leave improvement and  
Enter Oak Land

40-00 Set of 4 Section Post

4 Barr Oak 6 M6 N18

Do. 7 121276

6897, G. Oak '10

80.00 At Port corner Sec 31 & 32

Gr. Oak 10 N 48 $\frac{1}{2}$  E 7

3. Oak 18857/2 91

Sand level & good-  
Timber Oak-

55



90

T 36 N. R 2 W.

C. L.

West On South Side Section 31

21.00 Brook 15 ch. cr. S. E. 1/4

40.00 Set 1/4 Section Post

{ G. Oak 18 N 77 E 22  
{ W. Oak 10 N 2 W 26

75.00 Enter West Prairie

83.50 Brook 18 cr. S. E

97.41 To S. E. corner T. 36 N. R 3 W  
and corner of Michigan Road  
Land, &c.

Land rolling & 2? rods

Timber G. & W. Oak -


(Bar. 7.58 E-)


Jan. 25. Th. 1834

# Hickory 12 19 E 107

Slv 10 N 83 W 73-

11/11/11  
11/11/11





I do hereby certify that in pursuance of a contract with M. T. Williams Surveyor Gen<sup>l</sup>. of the United States for the United for the States of Ohio & Indiana & Michigan Territory and Robert Clark Jr. & Sylvester Sibley: bearing date July 1<sup>st</sup> 1833, and in strict conformity to the laws of the United States, and instructions of the said Surveyor Gen<sup>l</sup>., I have laid out and surveyed the exterior Townships lines, described in the foregoing pages of this book which are the true & original field notes of the survey, which ~~are~~ they purport to be, as taken on the said lines - Certified at Cincinnati this 12<sup>th</sup> day of May 1834 -

Sylvester Sibley D.S.

*Chairman*  
John Hodgson

Peter S. Galloway

*Assessor*  
William<sup>his</sup> Howard  
mk

